

IS 2150 / TEL 2810

Information Security & Privacy

James Joshi
Professor, SIS



Information Privacy

Lecture 11
March 30, 2016



What is privacy?

- Hard to define
- “Privacy is the claim of individuals, groups, or institutions to determine for themselves when, how, and to what extent information about them is communicated to others”
 - Alan Westin, *Privacy and Freedom*, 1967



OECD Guidelines on the Protection of Privacy (1980)

- Collection limitation
- Data quality
- Purpose specification
- Use limitation
- Security safeguards
- Openness
- Individual participation
- Accountability



FTC Fair Information Practice Principles

- Notice/Awareness
- Choice/Consent
- Access/Participation
- Integrity/Security
- Enforcement/Redress

<http://www.ftc.gov/reports/privacy3/fairinfo.shtm>



Privacy Laws

- EU: Comprehensive
 - European Directive on Data Protection
- US: Sector specific
 - HIPAA (Health Insurance Portability and Accountability Act of 1996)
 - Protect individually identifiable health information
 - COPPA (Children's Online Privacy Protection Act of 1998)
 - Address collection of personal information from children under 13, how to seek verifiable parental consent from their parents, etc.
 - GLB (Gramm-Leach-Bliley-Act of 1999)
 - Requires financial institutions to provide consumers with a privacy policy notice, including what info collected, where info shared, how info used, how info protected, opt-out options, etc.


Online Privacy Seal Programs (1)



- WebTrust
 - Developed by the American Institute of Certified Public Accountants and the Canadian Institute of Chartered Accountants
 - Privacy standards established by the Online Privacy Alliance, the EU, and Canada with regard to business practices and information privacy, transaction integrity, and security
- TRUSTe
 - Founded by Electronic Frontier Foundation and CommerceNet Consortium, Inc.
 - Adherence to TRUSTe's privacy policies of disclosure, choice, access, and security
 - Ongoing oversight and alternative dispute resolution processes

Online Privacy Seal Programs

(2)




- BBBOOnLine



- Developed by the Council of Better Business Bureaus
- Features verification, monitoring and review, consumer dispute resolution, enforcement mechanisms, and an educational component

- The Platform for Privacy Preferences (P3P)

- Developed by W3C
- Enables Websites to express their privacy practices in a standard format that can be retrieved automatically and interpreted easily by user agents



DATA ANONYMIZATION

Some slides borrowed from Vitaly Shmatikov




Data Collection & Publishing

- Health-care datasets
 - Clinical studies, hospital discharge databases ...
- Genetic datasets
 - 1000 genome, HapMap, deCode ...
- Demographic datasets
 - U.S. Census Bureau, sociology studies ...
- Search logs, recommender systems, social networks, blogs ...
 - AOL search data, social networks of blogging sites, Netflix movie ratings, Amazon ...

Linking Attack

- 87% of US population uniquely identifiable by 5-digit ZIP code, gender, DOB [using 1990 US census summary data]
- A practical attack [Sweeney2002]



- Massachusetts governor's hospital record re-identified
 - 6 with same DOB, 3 men, only one with same ZIP code



Quasi-identifier

- Identifier attributes
 - e.g., Name, SSN, address, phone no., etc.
 - A naïve anonymization method will always remove these
- Quasi-identifier attributes
 - 5-digit ZIP code, gender, DOB
 - Combination of attributes that can be used for *linking attack*
- Other attributes



k -Anonymity

- Each record must be indistinguishable with at least $k-1$ other records with respect to the quasi-identifier
- Linking attack cannot be performed with confidence $> 1/k$
- Formal definition [Samarati2001]
 - Let $T(A_1, \dots, A_n)$ be a table and QI be a quasi-identifier associated with it. T is said to satisfy k -anonymity wrt QI iff each sequence of values in $T[QI]$ appears at least with k occurrences in $T[QI]$.
 - ($T[QI]$ is the projection of T on quasi-identifier attributes)

k -Anonymity: Example

- $k=2$ and $QI=\{Race, Birth, Gender, ZIP\}$


Equivalency Class

	Race	Birth	Gender	ZIP	Problem
t1	Black	1965	m	0214*	short breath
t2	Black	1965	m	0214*	chest pain
t3	Black	1965	f	0213*	hypertension
t4	Black	1965	f	0213*	hypertension
t5	Black	1964	f	0213*	obesity
t6	Black	1964	f	0213*	chest pain
t7	White	1964	m	0213*	chest pain
t8	White	1964	m	0213*	obesity
t9	White	1964	m	0213*	short breath
t10	White	1967	m	0213*	chest pain
t11	White	1967	m	0213*	chest pain



Achieving k -Anonymity

- Generalization
 - Use less specific values to get k identical values
 - Partitioning range of values
- Suppression
 - Remove some records
 - When generalization causes too much information loss
- Many algorithms in the literature
 - Anonymizations vs utility is not always clear



k -Anonymity Is Not Enough

- k -anonymity protects against **identity disclosure**, but not **attribute disclosure**!

	ZIP Code	Age	Disease
1	47677	29	Heart Disease
2	47602	22	Heart Disease
3	47678	27	Heart Disease
4	47905	43	Flu
5	47909	52	Heart Disease
6	47906	47	Cancer
7	47605	30	Heart Disease
8	47673	36	Cancer
9	47607	32	Cancer

	ZIP Code	Age	Disease
1	476**	2*	Heart Disease
2	476**	2*	Heart Disease
3	476**	2*	Heart Disease
4	4790*	≥ 40	Flu
5	4790*	≥ 40	Heart Disease
6	4790*	≥ 40	Cancer
7	476**	3*	Heart Disease
8	476**	3*	Cancer
9	476**	3*	Cancer

Table 1. Original Patients Table Table 2. A 3-Anonymous Version of Table 1

- Lack of diversity in sensitive attributes of an equivalency class can reveal sensitive attributes

l -Diversity

- A table is said to have l -diversity if every equivalence class of the table has l -diversity
 - i.e., there are at least l “well-represented” values for the sensitive attribute
- Distinct l -diversity
 - Each equivalence class has at least l well-represented sensitive values
 - Does not prevent probabilistic inference attacks

...	Disease
	...
	HIV
	HIV
	...
	HIV
	pneumonia
	bronchitis
	...

10 records

8 records have HIV

2 records have other values

■



l -Diversity: Skewness Attack


- Example
 - One sensitive attribute with two values: HIV+ (1%)/HIV- (99%)
 - Suppose one class has equal number of HIV+ and HIV-
 - Satisfies any 2-diversity requirement
 - Anyone in the class has 50% probability of being HIV+ (compare it to 1% chance in overall population)
- Issue: When the overall distribution is skewed, satisfying l -diversity does not prevent attribute disclosure

l-Diversity: Similarity Attack

- Bob (ZIP=47621, Age=26)
- Leakage of sensitive info
 - Low salary [3K,5K]
 - Stomach-related disease

	ZIP Code	Age	Salary	Disease
1	476**	2*	3K	gastric ulcer
2	476**	2*	4K	gastritis
3	476**	2*	5K	stomach cancer
4	4790*	≥ 40	6K	gastritis
5	4790*	≥ 40	11K	flu
6	4790*	≥ 40	8K	bronchitis
7	476**	3*	7K	bronchitis
8	476**	3*	9K	pneumonia
9	476**	3*	10K	stomach cancer

- Issue: *l*-Diversity does not take into account the semantical closeness of sensitive values



PRIVACY IN LOCATION-BASED SERVICES




Location-Based Services


- Location-Based Service (LBS)
 - A service that is offered based on a user's location
- Privacy risks
 - Tracking a user
 - Identifying a user based on location
- Service/Privacy tradeoff
 - Report perturbed location
 - cloaking/obfuscation
 - A region containing the actual location is reported (i.e., generalization of location)

Location k -Anonymity

- Submitted cloaked region must contain at least k users
 - Collect and submit k queries together
 - If not enough queries to group with
 - Drop the query (may not be acceptable)
 - Generate enough dummy (fake) queries (raises service cost)
- Different users may have different privacy requirements, service level needs
 - Important distinction from traditional k -anonymity





LBS Anonymization: Threat Model




Location k -Anonymization

- Various algorithms
 - Nearest neighbor k -anonymization
 - Quad-tree spatial cloaking
 - CliqueCloak
 - Privacy Grid



3	2	1	0	4
0	3	4	4	5
2	4	3	3	4
6	2	3	4	5
0	2	4	5	6



PRIVACY IN SOCIAL NETWORKING SYSTEMS

Social Networking Systems

- Social networking systems (Online social networks)
 - Facebook, Orkut, LinkedIn, Twitter, Buzz, etc.
- Social network: a collection of
 - Social entities, e.g., people in Facebook, and
 - Relations among them, e.g., friendship relation in Facebook
 - Basically, a graph
 - Nodes / vertices / actors
 - Links / edges / relations






Users' Challenges in Privacy Control

- Not enough control features
- Configuring a policy is a complicated task for an ordinary user
 - Hundreds of just directly linked friends
 - Magnitude of information objects: profile, status, posts, photos, etc.
 - Third party apps
- Even if you have the tool and knowledge to use it, still hard to determine your ideal protection preferences!

Privacy Risks in Releasing SNs

- Identity disclosure
- Link disclosure
- Attribute disclosure





Social Network Anonymization

- Generalization

- Cluster nodes, usually based on communities
- Replace a cluster with a hyper node
- Only report hyper nodes, incl. summarized structural properties, and their links

- Perturbation

- Insert/delete edges in a network to meet a privacy goal such as
 - Degree k -anonymity
 - ...



Summary

- Privacy issues overview
- Anonymity techniques
 - K-anonymity, l-diversity
- Social networks privacy issues